

RECEIVED
CENTRAL FAX CENTER

JAN 28 2005

HDLS
4331 STEVENS BATTLE LN
FAIRFAX, V.A. 22033
TELEPHONE/FAX:
(703) 591-4934

Facsimile Transmittal


To:	United States Patent and Trademark Office Examiner Walberg, Teresa J	Fax:	703-872-9306
From:	Chunming for attorney Kao H. Lu	Date:	1/28/2005
Docking No.:	OP-092000284	Pgs. (including this page):	7
Serial No.:	10/724,770	Re:	Amendment
<input type="checkbox"/> Urgent <input checked="" type="checkbox"/> For Review <input type="checkbox"/> Please Comment <input checked="" type="checkbox"/> Please Reply <input type="checkbox"/> Confirmation by Mail			

ENCLOSURES:

- (1) Amendment (4 pages)
- (2) Petition for one-month extension (1page)
- (3) Power of Attorney (1 page)

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office (Facsimile No. (703) 872-9306 on January 28, 2005.)

Chunming Shih

(Signature)

=====

CONFIDENTIALITY NOTE:

This facsimile and any attachments are confidential and may be protected by legal privilege. If you are not the intended addressee (or authorized to receive for the addressee), be aware that any disclosure, copying, distribution or use of this facsimile or any attachment is prohibited. If you have received this facsimile in error, please notify us immediately by returning it to the sender and delete this copy from your system. Thank you for your cooperation.

=====

**RECEIVED
CENTRAL FAX CENTER****JAN 28 2005****PATENT**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the **PATENT APPLICATION** of:

Kuo-Len Lin et al..

Our File: OP-092000284

Application No.: 10/724,770

Date: January 28, 2005

Filed: December 2, 2003**For:** Fin Assembly of Heat Sink**Group:** 3742**Examiner:** Walberg, Teresa J**REPLY PURSUANT TO 37 C.F.R. §1.116**Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir/Madam:

This Reply is in responsive to the Examiner's Office Action dated September 28, 2004. A petition of one month time extension is also enclosed.

Please amend the application as follows.